



LIMESTONE STANDARD PRILLED

SPECIFICATION SHEET

Chemical Analysis

Calcium.....35.6%
 Calcium Carbonate (CaCo3).....89.3%
 Calcium Carbonate Equivalent90.8%

Derived from Limestone; also contains
 3% molasses as a binding agent.

Grind Analysis

100% Passing 10 mesh
 100% Passing 20 mesh
 100% Passing 40 mesh
 100% Passing 60 mesh
 100% Passing 100 mesh
 90% Passing 140 mesh
 53% Passing 200 mesh
 25% Passing 325 mesh

Characteristics of Standard Prilled Limestone

Moisture Content<1%
 Water Soluble Binder.....3%
 Angle of Repose.....30°
 SGN.....257
 UI.....52
 Bulk Density, Loose 68 lbs./cu.ft.
 Bulk Density, Tapped74 lbs./cu.ft.
 Oregon Lime Score.....90

- ◆ Cal-CM Plus Limestone Standard Prilled is Registered with the Organic Food Program by the Washington Department of Agriculture. It is also listed by OMRI for use with the production of Organic Foods.
- ◆ Available in bulk, 50 lb. bags, or bulk totes.
- ◆ To locate a dealer near you, call the numbers listed below.
- ◆ For additional information visit our Website: www.calcmplus.com.

Information regarding the contents and levels of metals in this product is available on the internet at <http://aapfco.org/metals.htm> and <http://agr.wa.gov> .

10/1/07 mw